MATERIAL SAFETY DATA SHEET

SRM Supplier: National Institute of Standards and Technology

Standard Reference Materials Program

100 Bureau Drive

Gaithersburg, Maryland 20899-2320

SRM Number: 187d MSDS Number: 187d

SRM Name: Sodium Tetraborate Decahydrate (Borax) pH Standard Date of Issue: 06 January 2004

FAX: (301) 926-4751

E-mail: SRMMSDS@nist.gov

ChemTrec: 1-800-424-9300

Phone: (301) 975-6776

SECTION I. MATERIAL IDENTIFICATION

MSDS Coordinator: Mario J. Cellarosi

Material Name: Sodium Tetraborate Decahydrate (Borax) pH Standard

Description: Standard Reference Material (SRM) 187d is intended for use in preparing solutions for calibrating electrodes for pH measuring systems. SRM 187d is a crystalline material provided in a unit of 30 g.

Other Designations: Sodium Tetraborate Decahydrate (sodium borate; 10-hydrate; borax; sodium biborate decahydrate; sodium pyroborate decahydrate; boric acid; disodium salt; borax decahydrate; decahydrate; sodium tetraborate decahydrate)

Name Chemical Formula CAS Registry Number

Sodium Tetraborate Decahydrate Na₂B₄O₇·10H₂O 1303-96-4

DOT Classification: Not regulated by DOT

SECTION II. HAZARDOUS INGREDIENTS

Hazardous Component	Nominal Concentration (%)	Exposure Limits and Toxicity Data
Sodium Tetraborate Decahydrate	≈ 100	ACGIH TLV-TWA: 5 mg/m ³
		Human, Oral: LD _{LO} : 709 mg/kg
		Rat, Oral: LD ₅₀ : 2660 mg/kg
		Mouse, Intravenous: LD ₅₀ : 1320 mg/kg

SECTION III. PHYSICAL/CHEMICAL CHARACTERISTICS

Sodium Borate Decahydrate		
Appearance and Odor: white crystals; odorless		
Molecular Weight: 381.37		
Specific Gravity ($H_2O = 1$): 1.73		
Melting Point: 62 - 75 °C		
Water Solubility: 6.25 %		
Solvent Solubility: soluble in glycerol; insoluble in acids		

NOTE: This material is certified **only** for pH(S). For the actual pH values, refer to the corresponding Certificate of nalysis.

MSDS 187d Page 1 of 3

Flash Point: Not Applicable	Method Used: Not Applicable	Autoignition Temperature: Not Applicable
Flammability Limits in Air (Volum	me %): UPPER: Not Applicable LOWER: Not Applicable	
	rds: This material is a slight fire haze when heated, it produces an explosive	zard. In contact with strong oxidizers is a fire and e reaction.
Extinguishing Media: Use extingu	nishing media appropriate to the surro	ounding fire.
SECTION V. REACTIVITY DATA		
Stability: X Stable	Unstable	
Conditions to Avoid: None docum	nented	
Incompatibility (Materials to Avoi	id): Metals; oxidizing materials	
See Section IV: "Fire and Explosion	on Hazard Data."	
Hazardous Decomposition or Byp	roducts: Thermal decomposition w	ill produce sodium and boron oxides.
Hazardous Polymerization:	Will OccurX	Will Not Occur
SECTION VI. HEALTH HAZARD DA	λТА	
Route of Entry: X Inhal:	ation <u>X</u> Skin	X Ingestion
	narmful by ingestion and may be harm well as irritation of the mucous memb	mful by inhalation or absorption through the skin. oranes and upper respiratory tract.
fever, irregular heartbeat, headache	e, difficulty breathing, tremors, drow	duced nausea, vomiting, diarrhea, stomach pain, vsiness, loss of coordination, disorientation, lung nage, ear damage, convulsion, and coma.
Medical Conditions Generally Ag	gravated by Exposure: Not Applic	able
Listed as a Carcinogen/Potential (
21.500 to the Carrolloge of Total Carrollog	Carcinogen:	
In the National Toxicology Pro In the International Agency for	gram (NTP) Report on Carcinogens	Yes No X X X

SECTION IV. FIRE AND EXPLOSION HAZARD DATA

Skin Contact: Remove contaminated shoes and clothing. Rinse affected area thoroughly with water for at least 15 minutes. Obtain medical assistance if necessary.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of water for at least 15 minutes. Obtain immediate medical assistance.

Inhalation: If adverse effects occur, remove the victim to fresh air. If breathing is difficult, give oxygen; if victim is not breathing, give artificial respiration by qualified personnel. Obtain immediate medical assistance.

Ingestion: If a large amount is swallowed, obtain immediate medical assistance.

MSDS 187d Page 2 of 3

SECTION VII. PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: Keep unnecessary people away, isolate area and deny entry. Collect spilled material in appropriate container for proper disposal. Keep out of water supplies and sewers.

Waste Disposal: Dispose in accordance with all federal, state, and local environmental regulations.

Handling and Storage: Provide local exhaust ventilation system. Wear splash resistant safety goggles. Provide an emergency eye wash fountain and a safety drench shower in the immediate work area. Wear appropriate chemical resistant clothing and gloves when handling. Use methods to prevent formation of dust.

NOTE: Contact lenses pose a special problem; soft lenses may absorb irritants and all lenses concentrate them. **DO NOT** wear contact lenses in the laboratory.

Store material in a tightly closed container in a cool dry place. Store with bases. Keep separated from incompatibles.

SECTION VIII. SOURCE DATA/OTHER COMMENTS

Source: MDL Information Systems, Inc., Sodium Borate Decahydrate, 19 March 2003

Disclaimer: Physical and chemical data contained in this MSDS are provided for use in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 187d Page 3 of 3